VOLUME 54 • AUTHOR INDEX

Abraham DJ *see* Leask A *et al*
see Leask A *et al*
Adams TE *see* Ward CW *et al*
Adamski J *see* Schütze N *et al*
Advani S *see* Gupta N *et al*
Alami J *see* Yeger H *et al*
Alman B *see* Yu C *et al*
Al-Shukri SH *see* Metze K *et al*
Alvi AJ *et al*. Microsatellite instability and mutational analysis of transforming growth factor β receptor type II gene (TGFBR2) in sporadic ovarian cancer, **240**
Andermarcher E *see* Tahri D *et al*
Andermarcher E *et al*. Mouse nov is regulated by PAX3 and promotes the proliferation, survival and differentiation of myoblasts, **117**
Angevin E *see* Glukhova L *et al*
Anthony DD *see* Ly A *et al*
Arends MJ *see* Cubie HA *et al*
Ariel I *see* Shochina M *et al*
Asano M *see* Takigawa M *et al*
Aten J *see* Blom IE *et al*
see Ito Y *et al*
Atkins GJ *see* O'Connor DP *et al*
Ayer-Lelievre C *et al*. Report on the first international workshop on the CCN family of genes: *editorial*, **105**

Ba N *see* Paradis V *et al*
Babic AM *see* Mo FE *et al*
Badger A *see* Kumar S *et al*
Baehring J *see* del Valle L *et al*
Ball DK, Brigstock DR. Establishment of a recombinant CTGF expression system in vitro that models CTGF processing in vivo: structural and functional characterization of multiple mass CTGF proteins, **110**
Ball RY *see* Cadot B *et al*
see Maillard M *et al*
Banas B *see* Goppelt-Struebe M *et al*
Baserga R *see* Valentinis B and Baserga R
Baxter RC. Signalling pathways involved in antiproliferative effects of IGFBP-3: a review: *review*, **145**
Bedossa P *see* Paradis V *et al*
Belfiore A *see* Vella V *et al*
Bende RJ *see* Ito Y *et al*
Benett B *see* Latinkic B *et al*
Bermingham N *see* O'Donovan M *et al*
Bernheim A *see* Glukhova L *et al*
see Marchio A *et al*
Birg F *see* Dales JP *et al*
Black CM *see* Leask A *et al*
see Leask A *et al*
Blom IE *et al*. Identification of human ccn2 (connective tissue growth factor) promoter polymorphisms, **192**
In vitro evidence for differential involvement of CTGF, TGF-β and PDGF-BB in mesangial response to injury, **112**
Boavida MG *see* Clarke LA *et al*
Book reviews Bryant JA, Hughes SG, Garl JM, *editors*. Programmed cell death in animals and plants, **56**
Henderson B, Wilson M, McNab R, *et al*, *editors*. Cellular microbiology. Bacteria–host interactions in health and disease, **55**
Kadowitz PJ, McNamara DB, *editors*. Nitric oxide and the regulation of the peripheral circulation, **435**
Kearse KP, *editor*. T cell protocols: development and activation, **55**
Killeen AA, *editor*. Methods in molecular medicine. Molecular pathology protocols, **55**
Mydlo JH, *editor*. Methods in molecular medicine: renal cancer, **435**
Quesenberry PJ, Stein GS, *editors*. Stem cell biology and gene therapy, **55**
Rapley R, *editor*. The nucleic acid protocol handbook, **360**
Rigby M, Roberts R, Thick M, *editors*. Taking health telematics into the 21st century, **435**
Van de Loos CM, *editor*. Immunoenzyme multiple staining methods, **435**
Boulter C *see* Tahri D *et al*
Boulter CA *see* Andermarcher E *et al*
Braasch JW *see* Rieger-Christ KM *et al*
Brass A *see* Cubie HA *et al*
Brigstock D *see* Ayer-Lelievre C *et al*
Brigstock DR *see* Ball DK and Brigstock DR
see Moussad E *et al*
see Rageh MAE *et al*
see Wilson AK *et al*
Brigstock DR. CTGF in uterine function, **116**
Brigstock DR. Expression of CTGF and TGF-β1 in the pseudopregnant mouse uterus, **111**

Brink AATP *et al*. Activity of the EBNA1 promoter associated with lytic replication (Fp) in Epstein-Barr virus associated disorders, **98**
Brockes JP *see* Morais da Silva M *et al*
Broggini M *see* Alvi AJ *et al*
Burn DJ, Jaros E. Multiple system atrophy: cellular and molecular pathology: *review*, **419**
Burnett D *see* Crocker J and Burnett D

Cadot B *see* Glukhova L *et al*
see Maillard M *et al*
Cadot B *et al*. Differential expression of novH proto-oncogene in human prostate cell lines and tissues, **109**
Cai W-Q *see* Su B-Y *et al*
Campbell MJ *et al*. IGF status is altered by tamoxifen in patients with breast cancer, **307**
Casey G *see* Vaziri SAJ *et al*
Chahal PS *see* Riser BL *et al*
Chand MA *see* Ito Y *et al*
Chaqour B *et al*. Mechanical force-induced cyr61 gene expression in smooth muscle cells, **113**
Chen C-C *see* Grzeszkiewicz TM *et al*
Chen N *see* Grzeszkiewicz TM *et al*
Cherel Y *et al*. Nov is expressed during in vitro differentiation of chicken muscular satellite cells, **110**
Chuai M-L *see* Katsube K *et al*
Cia EM *see* Metze K *et al*
Claessen N *see* Ito Y *et al*
Clarke LA *et al*. PCR amplification introduces errors into mononucleotide and dinucleotide repeat sequences, **351**
Cluskey S, Ramsden DB. Mechanisms of neurodegeneration in amyotrophic lateral sclerosis: *review*, **386**
Collinge J *see* Jackson GS and Collinge J
Connor J *see* Kumar S *et al*
Cortes P *see* Riser BL *et al*
see Riser BL *et al*
Cosgrove LJ *see* Ward CW *et al*
Crean J. CTGF and extracellular matrix remodeling: implications for diabetic nephropathy, **118**
Crocker J, Burnett D. Editorial: *editorial*, **36**
Croul S *see* del Valle L *et al*
Cubie HA *et al*. Rapid real time PCR to distinguish between high risk human papillomavirus types 16 and 18, **24**
Curran S *see* Lawrie LC *et al*
Curtis M *see* Gallia GL *et al*

Dales JP *et al*. Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
Dargère D *see* Paradis V *et al*
Darlington G *see* Vaziri SAJ *et al*
Davies EG *see* Inwald D *et al*
Davies S, Ramsden DB. Huntington's disease: *review*, **409**
Davison S *see* Meru N *et al*
Dearing SJ *see* Martinez A *et al*
Defrance T *see* Dales JP *et al*
de Gouville A-C *see* Paradis V *et al*
Dejean A *see* Marchio A *et al*
del Valle L *et al*. Expression of a human polyomavirus oncoprotein and tumour suppressor proteins in medulloblastomas, **331**
Delvalle L *see* Gallia GL *et al*
Denichilo M *see* Blom IE *et al*
Deshmukh PV *see* Riser BL *et al*
Desnoyers L, Pennica D. Identification of WISP-1 binding factors, **115**
Devilard E *see* Dales JP *et al*
de Weger RA *see* Blom IE *et al*
Dombrowski F *see* Scharf J-G *et al*
Duc HT *see* Ly A *et al*
Dugan JM *see* Rieger-Christ KM *et al*
Duncan M *see* Grotendorst GR *et al*
Dupont J, le Roith D. Insulin-like growth factor 1 and oestradiol promote cell proliferation of MCF-7 breast cancer cells: new insights into their synergistic effects: *review*, **149**
Duran K *see* Blom IE *et al*
Duverger A *see* Marchio A *et al*

Edwards D *see* Cadot B *et al*
Edwards DR *see* Maillard M *et al*
Ekblom P *see* Granérus M *et al*
Ekker SC *see* Marsh JL *et al*
Elcock FJ *see* Wildsmith SE and Elcock FJ
Elleman TC *see* Ward CW *et al*
Engers R *see* Weber A *et al*
Engström W *see* Granérus M *et al*
Eulert J *see* Schütze N *et al*

Fagerhol MK *see* Isaksen B and Fagerhol MK
Fariello RG *see* Zecca L *et al*
Fellig Y *see* Shochina M *et al*
Firatli E *see* Uzel MI *et al*
Fothergill JE *see* Lawrie LC *et al*
François J-C *see* Ly A *et al*
Frenkel MJ *see* Ward CW *et al*
Furmonaviciene R, Shakib F. The molecular basis of allergenicity: comparative analysis of the three dimensional structures of diverse allergens reveals a common structural motif, **155**

Gabbert HE *see* Weber A *et al*
Gallia GL *et al*. Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**
Gancberg D *see* Lespagnard L *et al*
Garrett TPJ *see* Ward CW *et al*
Gates PB *see* Morais da Silva S *et al*
Gaudenz K *see* Marsh JL *et al*
see Vilmos P *et al*
Gauthier J-M *see* Paradis V *et al*
Gerlach M *see* Zecca L *et al*
Gerth N *see* Ivkovic S *et al*
Giordano A *see* del Valle L *et al*
Glukhova L *et al*. Tumorigenicity of high grade renal cell carcinomas and nov expression, **111**
Goguel A-F *see* Glukhova L *et al*
Gohr LL *see* Weber A *et al*
Goldschmeding R *see* Blom IE *et al*
see Blom IE *et al*
see Ito Y *et al*
Gonçalves J *see* Clarke LA *et al*
Gong Y *see* Kutz WE *et al*
Goppelt-Struebe M. Induction of CTGF in renal cells: regulatory role of the small G-protein RHOA and the actin cytoskleleton, **113**
Goppelt-Struebe M *et al*. Regulation of connective tissue growth factor (ccn2; ctgf) gene expression in human mesangial cells: modulation by HMG CoA reductase inhibitors (statins), **176**
Gowen M *see* Kumar S *et al*
Granérus M *et al*. Insulin-like growth factors I and II induce cell death in Wilms's tumour cells, **30**
Gress TM *see* Wenger C and Gress TM
Grondin J *see* Riser BL *et al*
Grondin JM *see* Riser BL *et al*
Grotendorst GR *see* Hayashi N *et al*
Grotendorst GR *et al*. Structure and functional analysis of CTGF, **115**
Grzeszkiewicz TM *et al*. Integrins mediate cyr61-induced activities in human skin fibroblasts, **114**
Guigand L *see* Cherel Y *et al*
Gupta N *et al*. Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**

Hahn A *see* Goppelt-Struebe M *et al*
Hausen AZ *see* Weber A *et al*
Hayashi N *et al*. The expression of connective tissue growth factor during wound healing, **112**
Hegedus Z *see* Vilmos P *et al*
Henin D *see* Ly A *et al*
Hermanson S *see* Marsh JL *et al*
Herrington CS. What we could do now: molecular pathology of gynaecological cancer: *review*, **222**
Herrington CS *et al*. Loss of sequences on the short arm of chromosome 17 is a late event in squamous carcinoma of the cervix, **160**
Ho SL *see* Ramsden DB *et al*
Hochberg A *see* Shochina M *et al*
Holmes A *see* Leask A *et al*
Holmes AM *see* Leask A *et al*
Hong H-H *see* Uzel MI *et al*
Houlston RS. What we could do now: molecular pathology of colorectal cancer: *review*, **206**
Hoyne PA *see* Ward CW *et al*
Hsiao WLW, Yam JWP. The cyr61 and the non-muscle myosin heavy chain-B are the two genes whose expressions are suppressed in rat 6 fibroblasts transformed by the mutant $p53^{val135}$, **109**
Huet S *see* Paradis V *et al*
Hughes KS *see* Rieger-Christ KM *et al*
Humar B *et al*. Cell cycle dependent DNA break increase in ataxia telangiectasia lymphoblasts after radiation exposure, **347**
Hurvitz J *see* Kutz WE *et al*

Igarashi A *see* Hayashi N *et al*
Ilyas M *see* Tomlinson IPM and Ilyas M
Inwald D *et al*. Demystified ... Adhesion molecule deficiencies: *review*, **1**
Isaksen B, Fagerhol MK. Calprotectin inhibits matrix metalloproteinases by sequestration of zinc, **289**

Itasaki N, Krumlauf R. Isolation of a novel gene which has little similarity with CCN family molecules and interacts with WNT pathway, **115**
Ito Y *see* Blom IE *et al*
Ito Y *et al*. Kinetics of connective tissue growth factor expression during experimental proliferative glomerulonephritis, **119**
Ivkovic S *et al*. Connective tissue growth factor (CTGF) is essential for skeletal development in the mouse, **118**
Iwanciw D *see* Goppelt-Struebe M *et al*

Jackson GS, Collinge J. The molecular pathology of CJD: old and new variants: *review*, **393**
Jakob F *see* Schütze N *et al*
see Schütze N *et al*
James I *see* Kumar S *et al*
Jaros E *see* Burn DJ and Jaros E
Johannisson A *see* Granérus M *et al*
Johanson K *see* Kumar S *et al*
Jordan P *see* Clarke LA *et al*
Jung A *see* Meru N *et al*

Kahn H *see* Kyurkchiev S *et al*
Kakinuma T *see* Hayashi N *et al*
Kalamarides M *see* Ly A *et al*
Kane A *see* Ly A *et al*
Kantarci A *see* Uzel MI *et al*
Katsube K *et al*. The expression pattern of Nov-C during chick development and its role in embryogenesis, **117**
Kay EW *see* O'Connor DP *et al*
Kelly D *see* Meru N *et al*
Kenny C *see* O'Donovan M *et al*
Khalili K *see* del Valle L *et al*
see Gallia GL *et al*
Killalea A *see* O'Donovan M *et al*
Kim H *see* Marsh JL *et al*
King RHM. The role of glycation in the pathogenesis of diabetic polyneuropathy: *review*, **400**
Kingdom J *see* Kocialkowski S *et al*
Klapper H *see* Grotendorst GR *et al*
Kleij L *see* Blom IE *et al*
see Ito Y *et al*
Klein N *see* Inwald D *et al*
Knowles MA. What we could do now: molecular pathology of bladder cancer: *review*, **215**
Kocialkowski S *et al*. Expression of the human nov gene in first trimester fetal tissues, **113**
Korneyev IA *see* Metze K *et al*
Koslov VV *see* Metze K *et al*
Krumlauf R *see* Itasaki N and Krumlauf R
Kumar S *et al*. Identification and characterization of CTGF-l as a novel modulator of osteoblast and chondrocyte functions, **114**
Kutz WE *et al*. WISP3 expression in eukaryotic cells, **115**
Kyurkchiev S *see* Gupta N *et al*
see Thomopoulos GN *et al*
Kyurkchiev S *et al*. Potential functional interactions of the NOVH C-terminal domain in normal and tumor tissues from adrenal cortex, **111**

Laine C *see* Gallia GL *et al*
Lajmanovich A *see* Dales JP *et al*
Lakhani SR. Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**
Lam SC-T *see* Schober JM *et al*
Laron Z. Insulin-like growth factor 1 (IGF-1): a growth hormone, **311**
Larsimont D *see* Lespagnard L *et al*
Latif F *see* Alvi AJ *et al*
see Martinez A *et al*
Latinkic B *et al*. Characterisation of *xenopus laevis* cyr61, **117**
Lau L *see* Ayer-Lelievre C *et al*
Lau LF *see* Grzeszkiewicz TM *et al*
see Mo FE *et al*
see Schober JM *et al*
Lavialle C *see* Glukhova L *et al*
Lawrence LJ *see* Ward CW *et al*
Lawrie LC *et al*. Application of laser capture microdissection and proteomics in colon cancer, **253**
Leader M *see* O'Connor DP *et al*
Leask A *et al*. Control of fibroblast extracellular matrix production by CTGF: regulation by TGFβ, TNF-α and IL-1, **116**
The control of ccn2 (ctgf) gene expression in normal and scleroderma fibroblasts, **180**
Leathem AJC *see* Campbell MJ *et al*
Lechner A *see* Schütze N *et al*
Leclercq G *see* Lespagnard L *et al*
Lee J *see* Kumar S *et al*
Lee LV *et al*. Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review*, **362**
le Roith D *see* Dupont J and le Roith D
Leroux I *see* Cherel Y *et al*

Lespagnard L *et al.* In situ amplification of oestrogen receptor α mRNA in breast cancer cell lines and tumours, **197**
Leung ASP *see* Woo PCY *et al*
Leung KW *see* Woo PCY *et al*
Li CL *see* Katsube K *et al*
Lombet A *see* Su B-Y *et al*
Lorenzana C *see* del Valle L *et al*
Lou M *see* Ward CW *et al*
Lovrecz GO *see* Ward CW *et al*
Lupu R *see* Tsai M-S and Lupu R
Luttich K *see* O'Donovan M *et al*
Ly A *et al.* Human glioma cells transformed by IGF-I triplehelix technology show immune and apoptotic characteristics determining cell selection for gene therapy of glioblastoma, **230**
Lyons KM *see* Ivkovic S *et al*

Maaroufi Y *see* Lespagnard L *et al*
Mabruk MJEMF *see* O'Connor DP *et al*
Macarak E *see* Chaqour B *et al*
McGoogan E *see* Cubie HA *et al*
McKern NM *see* Ward CW *et al*
Mackowiak P *see* Herrington CS *et al*
McLeod HL *see* Lawrie LC *et al*
McLeod TL *see* Gupta N *et al*
Maher ER *see* Alvi AJ *et al*
see Martinez A *et al*
Maillard M *see* Cadot B *et al*
Maillard M *et al.* Differential expression of the ccn3 (nov) proto-oncogene in human prostate cell lines and tissues, **275**
Mamaev NN *see* Metze K *et al*
Manara MC. NOVH expression in musculoskeletal tumors, **119**
Marcelino J *see* Kutz WE *et al*
Marchio A *et al.* Chromosomal abnormalities in liver cell dysplasia detected by comparative genomic hybridisation, **270**
Marsh JL *see* Vilmos P *et al*
Marsh JL *et al.* Twisted gastrulation is a conserved extracellular BMP antagonist, **116**
Martin C *see* O'Donovan M *et al*
Martin GR *see* Leask A *et al*
Martinez A *et al.* Chromosome 3p allele loss in early invasive breast cancer: detailed mapping and association with clinicopathological features, **300**
Martinez V *see* Su B-Y *et al*
Meddeb M *see* Marchio A *et al*
Meijer CJLM *see* Brink AATP *et al*
Meru N *et al.* Epstein-Barr virus infection in paediatric liver transplant recipients: detection of the virus in post-transplant tonsillectomy specimens, **264**
Metze K *et al.* Clinical value of interphase argyrophilic nucleolar organiser regions in transitional cell bladder tumours: *letter*, **200**
Middeldorp JM *see* Brink AATP *et al*
Mineo R *see* Vella V *et al*
Mo FE *et al.* The roles of cyr61 in embryonic angiogenesis and chondrogenesis, **117**
Morais da Silva S *et al.* CCN family members in urodele limb regeneration, **118**
Moussad EE-DA *see* Rageh MAE *et al*
Moussad E *et al.* Localization of connective tissue growth factor in normal regenerating and denervated non-regenerating scarring limb stumps of adult newts, **111**
Muller H *see* Humar B *et al*
Muller J *see* Schütze N *et al*
see Schütze N *et al*
Munoz EL *see* Lee LV *et al*
Muntean A *see* Mo FE *et al*
Murphy GM *see* O'Connor DP *et al*
Murray GI *see* Lawrie LC *et al*
Mutimer D *see* Meru N *et al*

Nakanishi T *see* Takigawa M *et al*
Naus CCG *see* Gupta N *et al*
Nicholls JM *see* Brink AATP *et al*
Niedobitek G *see* Meru N *et al*
Nishida T *see* Takigawa M *et al*
Nockemann S *see* Weber A *et al*
Noël T *see* Ly A *et al*

O'Connor DP *et al.* A high degree of chromosomal instability at 13q14 in cutaneous squamous cell carcinomas: indication for a role of a tumour suppressor gene other than Rb, **165**
O'Connor MB *see* Marsh JL *et al*
O'Donovan M *et al.* Expression profile of human herpesvirus 8 (HHV-8) in pyothorax associated lymphoma and in effusion lymphoma, **80**
O'Leary JJ *see* O'Donovan M *et al*

Palmerini F *see* Dales JP *et al*
Pan Y *see* Ly A *et al*
Pandini G *see* Vella V *et al*
Paradis V *et al.* Connective tissue growth factor (CTGF) expression in experimental and human liver fibrogenesis, **119**
Parsons RB *see* Ramsden DB *et al*
Pennica D *see* Ayer-Lelievre C *et al*
see Desnoyers L and Pennica D
Perbal B *see* Ayer-Lelievre C *et al*
see Cadot B *et al*
see Cherel Y *et al*
see Glukhova L *et al*
see Gupta N *et al*
see Katsube K *et al*
see Kocialkowski S *et al*
see Kyurkchiev S *et al*
see Maillard M *et al*
see Su B-Y *et al*
see Thomopoulos GN *et al*
see Yeger H *et al*
see Yu C *et al*
Perbal B. NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review*, **57**
The CCN family of genes: a brief history: *editorial*, **103**
The ccn proteins: multipotent matchmakers?, **112**
Petryk A *see* Marsh JL *et al*
Pezza JA *see* Rieger-Christ KM *et al*
Pileri S *see* O'Donovan M *et al*
Pineau P *see* Marchio A *et al*
Pizov G *see* Shochina M *et al*
Plumas J *see* Dales JP *et al*
Podeh D *see* Shochina M *et al*
Pradel V *see* Dales JP *et al*

Rabelink TJ *see* Blom IE *et al*
see Ito Y *et al*
Rader JS *see* Alvi AJ *et al*
Rageh M *see* Moussad E *et al*
Rageh MAE *et al.* Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**
see Brigstock DR
Ramadori G *see* Scharf J-G *et al*
Ramsden DB *see* Cluskey S and Ramsden DB
see Davies S and Ramsden DB
see Tawana K and Ramsden DB
Ramsden DB. Themed issue: Neurodegenerative diseases: *editorial*, **361**
Ramsden DB *et al.* The aetiology of idiopathic Parkinson's disease: *review*, **369**
Read SJ. Recovery efficiencies of nucleic acid extraction kits as measured by quantitative LightCycler™ PCR, **86**
Rebelo CS *see* Clarke LA *et al*
Reed Clark K *see* Wilson AK *et al*
Rehm M *see* Goppelt-Struebe M *et al*
Reyes MT *see* Lee LV *et al*
Riederer P *see* Zecca L *et al*
Rieger-Christ KM *et al.* Disparate E-cadherin mutations in LCIS and associated invasive breast carcinomas, **91**
Riser BL *et al.* Regulation and function of CTGF in renal fibrosis: implications for diagnosis and control of disease progression, **119**
Urinary CTGF: a potential predictor of diabetic nephropathy, **118**
Rooney N *see* Meru N *et al*
Rosenbloom J *see* Chaqour B *et al*
Ross JJ *see* Marsh JL *et al*
Rucker N *see* Schütze N *et al*
Rybakova MG *see* Metze K *et al*

Sa S *see* Leask A *et al*
see Leask A *et al*
Scharf J-G *et al.* The IGF axis and hepatocarcinogenesis: *review*, **138**
Schaum S *see* Cherel Y *et al*
Schober JM *et al.* Integrin $\alpha_m\beta_2$ acts as an adhesion receptor on peripheral blood monocytes and THP-1 cells for CYR61 and connective tissue growth factor, **115**
Schofield P *see* Tahri D *et al*
see Yeger H *et al*
Schofield PN *see* Andermarcher E *et al*
see Kocialkowski S *et al*
Schütze N *et al.* 5′ flanking sequence of the human immediate early responsive gene ccn1 (cyr61) and mapping of polymorphic CA repeat sequence motifs in the human ccn1 (cyr61) locus, **170**
Expression and regulation of hCYR61 in human bone cells, **114**
Sciacca L *see* Vella V *et al*
Scott RJ *see* Humar B *et al*
Seagar AL *see* Cubie HA *et al*
Secker-Walker J *see* Campbell MJ *et al*
Segarini PR *see* Ivkovic S *et al*
Sethia K *see* Cadot B *et al*
see Maillard M *et al*
Shakib F *see* Furmonaviciene R and Shakib F
Shaw JA *see* Martinez A *et al*
Sheff MC *see* Uzel MI *et al*
Sheils O *see* O'Donovan M *et al*
Shevelev A *see* Ly A *et al*
Shimmi O *see* Marsh JL *et al*
Shimo T *see* Takigawa M *et al*
Shiwen X *see* Leask A *et al*
see Leask A *et al*

Shochina M *et al.* Nitric oxide synthase immunoreactivity in human bladder carcinoma, **248**
Silva I *see* O'Donovan M *et al*
Smith J *see* Latinkic B *et al*
Southern SA *see* Herrington CS *et al*
Sparrow LG *see* Ward CW *et al*
Squatrito S *see* Vella V *et al*
Su B-Y *et al.* The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
Sughayer M *see* Shochina M *et al*
Sulzer D *see* Zecca L *et al*
Summerhayes IC *see* Rieger-Christ KM *et al*

Tahri D *et al.* Nov promotes proliferation and early myogenic differentiation of 10T1/2 fibroblasts, **109**
Takehara K. Pathogenesis of scleroderma, **120**
Takigawa M *et al.* Effects of CTGF/Hcs24, a product of a hypertrophic chondrocyte-specific gene, on the proliferation and differentiation of chondrocytes and osteoblasts in culture, **118**
Tampellini D *see* Zecca L *et al*
Tan KT *see* Lee LV *et al*
Tassava R *see* Moussad E *et al*
Tatoud R *see* Cadot B *et al*
see Maillard M *et al*
Tawana K, Ramsden DB. Progressive supranuclear palsy: *review*, **427**
Terrier-Lacombe M-J *see* Glukhova L *et al*
Terris B *see* Marchio A *et al*
Thomopoulos GN *et al.* Immunocytochemical localization of NOVH protein and ultrastructural characteristics of NCI-H295r cells, **109**
Tilanus MGJ *see* Blom IE *et al*
Tiollais P *see* Marchio A *et al*
Titcomb A *see* Campbell MJ *et al*
Tomlinson I. Molecular pathology of solid tumours: translating research into clinical practice. Introduction and overview: *editorial*, **201**
Tomlinson IPM, Ilyas M. Molecular pathology of solid tumours: some practical suggestions for translating research into clinical practice: *review*, **203**
Trackman PC *see* Uzel MI *et al*
Trevisan MA *see* Metze K *et al*
Trill J *see* Kumar S *et al*
Trojan J *see* Ly A *et al*
Trojan LA *see* Ly A *et al*
Tsai M-S, Lupu R. Involvement of cyr61, an angiogenic factor, in breast cancer tumor progression, **116**
Tubbs RR *see* Vaziri SAJ *et al*
Tulloch PA *see* Ward CW *et al*
Turner RD. Commissioning laboratory services: *review*, **225**

Uhlmann V *see* O'Donovan M *et al*
Uygur C *see* Uzel MI *et al*
Uzel MI *et al.* Connective tissue growth factor regulation and expression in human gingival cells and tissues suggests a role in phenytoin-induced gingival overgrowth, **113**

Valentinis B, Baserga R. IGF-I receptor signalling in transformation and differentiation: *review*, **133**
van den Brule AJC *see* Brink AATP *et al*
van Dijk AJ *see* Blom IE *et al*
see Blom IE *et al*
Vaziri SAJ *et al.* Absence of CCND1 gene amplification in breast tumours of BRCA1 mutation carriers, **259**
Vella V *et al.* The IGF system in thyroid cancer: new concepts: *review*, **121**
Verhest A *see* Lespagnard L *et al*
Vigneri R *see* Vella V *et al*
Vilmos P *see* Marsh JL *et al*
Vilmos P *et al.* The Twisted gastrulation family of proteins, together with the IGFBP and CCN families, comprise the TIC superfamily of cysteine rich secreted factors, **317**
Vitner K *see* Shochina M *et al*
Votta B *see* Kumar S *et al*

Walker RA *see* Martinez A *et al*
Wang H *see* Gupta N *et al*
Ward CW *et al.* The three dimensional structure of the type I insulin-like growth factor receptor: *review*, **125**
Waring RH *see* Ramsden DB *et al*
Warman ML *see* Kutz WE *et al*
Weber A *et al.* Differentially expressed genes in association with in vitro invasiveness of human epithelioid sarcoma, **324**
Weening JJ *see* Blom IE *et al*
see Ito Y *et al*
Weichselbaum RR *see* Gupta N *et al*
Wenger C, Gress TM. CCN-family members in pancreatic diseases, **119**
Westphal M *see* Zumkeller W and Westphal M
Whitehead J *see* Cubie HA *et al*
Whitehead L *see* Meru N *et al*
Whitley MW *see* Cubie HA *et al*
Wieten L *see* Blom IE *et al*
Wildsmith SE, Elcock FJ. Microarrays under the microscope: *review*, **8**
Williams S *see* Grotendorst GR *et al*
Wilson AK *see* Rageh MAE *et al*
Wilson AK *et al.* Novel models of CTGF transgenesis in vivo: recombinant adeno-associated viral (rAAV) mediated delivery of the CTGF gene, **110**
Winer JB. Guillain Barré syndrome: *review*, **381**
Wolman SR *see* Herrington CS *et al*
Wong M *see* Mo FE *et al*
Woo PCY *et al.* Identification of slide coagulase positive, tube coagulase negative *Staphylococcus aureus* by 16S ribosomal RNA gene sequencing, **244**
Woodside JV *see* Campbell MJ *et al*
Worsham M *see* Herrington CS *et al*
Wyers M *see* Cherel Y *et al*

Xerri L *see* Dales JP *et al*
Xu Y *see* Leask A *et al*

Yam JWP *see* Hsiao WLW and Yam JWP
Yee J *see* Riser BL *et al*
Yeger H *see* Ayer-Lelievre C *et al*
see Kocialkowski S *et al*
see Kyurkchiev S *et al*
see Yu C *et al*
Yeger H *et al.* Expression patterns of NOVH in normal and tumor tissues, **120**
Yeung C-H. Cyr61 promotes the survival and inhibits the differentiation of hematopoietic stem/progenitor cells in culture, **117**
Yu C *et al.* Nov expression and regulation in the growth plate and in cartilage tumours, **114**
Yu J *see* Gupta N *et al*
Yue K *see* Kumar S *et al*
Yuen KY *see* Woo PCY *et al*

Zecca L *et al.* Substantia nigra neuromelanin: structure, synthesis, and molecular behaviour: *review*, **414**
Zhang C-G *see* Su B-Y *et al*
Zumkeller W. IGFs and IGFBPs: surrogate markers for diagnosis and surveillance of tumour growth?: *review*, **285**
The University of Halle through the centuries: *editorial*, **36**
Zumkeller W, Westphal M. The IGF/IGFBP system in CNS malignancy: *review*, **227**

VOLUME 54 • SUBJECT INDEX

16S, Identification of slide coagulase positive, tube coagulase negative *Staphylococcus aureus* by 16S ribosomal RNA gene sequencing, **244**

acquired immunodeficiency syndrome, Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**
allergen, The molecular basis of allergenicity: comparative analysis of the three dimensional structures of diverse allergens reveals a common structural motif, **155**
amyotrophic lateral sclerosis, Mechanisms of neurodegeneration in amyotrophic lateral sclerosis: *review*, **386**
angiogenesis, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review*, **57**
antiganglioside antibodies, Guillain Barré syndrome: *review*, **381**
apoptosis, Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
Human glioma cells transformed by IGF-I triplehelix technology show immune and apoptotic characteristics determining cell selection for gene therapy of glioblastoma, **230**
Insulin-like growth factors I and II induce cell death in Wilms's tumour cells, **30**
Signalling pathways involved in antiproliferative effects of IGFBP-3: a review: *review*, **145**
ataxia telangiectasia, Cell cycle dependent DNA break increase in ataxia telangiectasia lymphoblasts after radiation exposure, **347**
atypical ductal hyperplasia, Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**

BamHI-F region, Activity of the EBNA1 promoter associated with lytic replication (Fp) in Epstein-Barr virus associated disorders, **98**
bladder cancer, Nitric oxide synthase immunoreactivity in human bladder carcinoma, **248**
What we could do now: molecular pathology of bladder cancer: *review*, **215**
brain tumours, The IGF/IGFBP system in CNS malignancy: *review*, **227**
BRCA1, Absence of CCND1 gene amplification in breast tumours of BRCA1 mutation carriers, **259**
BRCA1 mutation, Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**
BRCA2 mutation, Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**
breast, Disparate E-cadherin mutations in LCIS and associated invasive breast carcinomas, **91**
breast cancer, IGF status is altered by tamoxifen in patients with breast cancer, **307**
In situ amplification of oestrogen receptor α mRNA in breast cancer cell lines and tumours, **197**
Insulin-like growth factor 1 and oestradiol promote cell proliferation of MCF-7 breast cancer cells: new insights into their synergistic effects: *review*, **149**
Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**

CA repeat polymorphism, 5' flanking sequence of the human immediate early responsive gene ccn1 (cyr61) and mapping of polymorphic CA repeat sequence motifs in the human ccn1 (cyr61) locus, **170**
calprotectin, Calprotectin inhibits matrix metalloproteinases by sequestration of zinc, **289**
Campylobacter jejuni, Guillain Barré syndrome: *review*, **381**
cancer, Abstracts, **38**
NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review*, **57**
What we could do now: molecular pathology of gynaecological cancer: *review*, **222**
caspases, Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
CCN, Differential expression of the ccn3 (nov) proto- oncogene in human prostate cell lines and tissues, **275**
NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review*, **57**
Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**
The Twisted gastrulation family of proteins, together with the IGFBP and CCN families, comprise the TIC superfamily of cysteine rich secreted factors, **317**
CCN genes, Proposal for a unified CCN nomenclature: *editorial*, **108**
Report on the first international workshop on the CCN family of genes: *editorial*, **105**
The CCN family of genes: a brief history: *editorial*, **103**
ccn2, Identification of human ccn2 (connective tissue growth factor) promoter polymorphisms, **192**
Regulation of connective tissue growth factor (ccn2; ctgf) gene expression in human mesangial cells: modulation by HMG CoA reductase inhibitors (statins), **176**
CCN3, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
CCND1, Absence of CCND1 gene amplification in breast tumours of BRCA1 mutation carriers, **259**
cDNA, Microarrays under the microscope: *review*, **8**
cell cycle, Cell cycle dependent DNA break increase in ataxia telangiectasia lymphoblasts after radiation exposure, **347**
Insulin-like growth factor 1 and oestradiol promote cell proliferation of MCF-7 breast cancer cells: new insights into their synergistic effects: *review*, **149**
cell differentiation, Proposal for a unified CCN nomenclature: *editorial*, **108**
Report on the first international workshop on the CCN family of genes: *editorial*, **105**
The CCN family of genes: a brief history: *editorial*, **103**
cell growth, Proposal for a unified CCN nomenclature: *editorial*, **108**
Report on the first international workshop on the CCN family of genes: *editorial*, **105**
The CCN family of genes: a brief history: *editorial*, **103**
cell signalling, Proposal for a unified CCN nomenclature: *editorial*, **108**
Report on the first international workshop on the CCN family of genes: *editorial*, **105**
The CCN family of genes: a brief history: *editorial*, **103**
central nervous system, The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
The IGF/IGFBP system in CNS malignancy: *review*, **227**
CerbB2, Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**
cervical screening, Rapid real time PCR to distinguish between high risk human papillomavirus types 16 and 18, **24**
cervix, Loss of sequences on the short arm of chromosome 17 is a late event in squamous carcinoma of the cervix, **160**
chromosome 17, Loss of sequences on the short arm of chromosome 17 is a late event in squamous carcinoma of the cervix, **160**
chromosome 3p, Chromosome 3p allele loss in early invasive breast cancer: detailed mapping and association with clinicopathological features, **300**
clinical practice, Molecular pathology of solid tumours: translating research into clinical practice. Introduction and overview: *editorial*, **201**
colon cancer, Application of laser capture microdissection and proteomics in colon cancer, **253**
colorectal cancer, What we could do now: molecular pathology of colorectal cancer: *review*, **206**
commissioning laboratory services, Commissioning laboratory services: *review*, **225**
committee of molecular pathology, Molecular pathology of solid tumours: some practical suggestions for translating research into clinical practice: *review*, **203**
comparative genomic hybridisation, Chromosomal abnormalities in liver cell dysplasia detected by comparative genomic hybridisation, **270**
connective tissue growth factor, Identification of human ccn2 (connective tissue growth factor) promoter polymorphisms, **192**
Regulation of connective tissue growth factor (ccn2; ctgf) gene expression in human mesangial cells: modulation by HMG CoA reductase inhibitors (statins), **176**
Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**
The control of ccn2 (ctgf) gene expression in normal and scleroderma fibroblasts, **180**
connexin 43, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
Creutzfeldt-Jakob disease, The molecular pathology of CJD: old and new variants: *review*, **393**
CTGF, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
ctgf, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review*, **57**
CYR61, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
cyr61, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review*, **57**

demyelination, Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**
Der p 1, The molecular basis of allergenicity: comparative analysis of the three dimensional structures of diverse allergens reveals a common structural motif, **155**
development, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review,* **57**
The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
diabetes mellitus, The role of glycation in the pathogenesis of diabetic polyneuropathy: *review,* **400**
differential gene expression, Differentially expressed genes in association with in vitro invasiveness of human epithelioid sarcoma, **324**
differentiation, IGF-I receptor signalling in transformation and differentiation: *review,* **133**
NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review,* **57**
DNA breaks, Cell cycle dependent DNA break increase in ataxia telangiectasia lymphoblasts after radiation exposure, **347**
dystonia, Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review,* **362**

early invasive breast cancer, Chromosome 3p allele loss in early invasive breast cancer: detailed mapping and association with clinicopathological features, **300**
E-cadherin, Disparate E-cadherin mutations in LCIS and associated invasive breast carcinomas, **91**
electron microscopy, The three dimensional structure of the type I insulin-like growth factor receptor: *review,* **125**
electrophoresis, Application of laser capture microdissection and proteomics in colon cancer, **253**
environmental agents, The aetiology of idiopathic Parkinson's disease: *review,* **369**
epithelioid sarcoma, Differentially expressed genes in association with in vitro invasiveness of human epithelioid sarcoma, **324**
Epstein-Barr virus, Activity of the EBNA1 promoter associated with lytic replication (Fp) in Epstein-Barr virus associated disorders, **98**
Epstein-Barr virus infection in paediatric liver transplant recipients: detection of the virus in post-transplant tonsillectomy specimens, **264**
Epstein-Barr virus nuclear antigen 1, Activity of the EBNA1 promoter associated with lytic replication (Fp) in Epstein-Barr virus associated disorders, **98**
excitotoxicity, Themed issue: Neurodegenerative diseases: *editorial,* **361**
extracellular matrix, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**

fibrosis, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review,* **57**
Filipino dystonia parkinsonism, Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review,* **362**
fluorescence in situ hybridisation, Loss of sequences on the short arm of chromosome 17 is a late event in squamous carcinoma of the cervix, **160**

gap junctional intercellular communication, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
gene expression, Microarrays under the microscope: *review,* **8**
gene profiling, Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
gene regulation, 5' flanking sequence of the human immediate early responsive gene ccn1 (cyr61) and mapping of polymorphic CA repeat sequence motifs in the human ccn1 (cyr61) locus, **170**
genes, What we could do now: molecular pathology of colorectal cancer: *review,* **206**
Glanzmann's thrombasthenia, Demystified ... Adhesion molecule deficiencies: *review,* **1**
glial cytoplasmic inclusion, Multiple system atrophy: cellular and molecular pathology: *review,* **419**
glioblastoma, Human glioma cells transformed by IGF-I triplehelix technology show immune and apoptotic characteristics determining cell selection for gene therapy of glioblastoma, **230**
glycation, The role of glycation in the pathogenesis of diabetic polyneuropathy: *review,* **400**
growth, Insulin-like growth factor 1 (IGF-1): a growth hormone, **311**
growth hormones, Insulin-like growth factor 1 (IGF-1): a growth hormone, **311**
Guillain Barré syndrome, Guillain Barré syndrome: *review,* **381**
gynaecology, What we could do now: molecular pathology of gynaecological cancer: *review,* **222**

hepatitis B virus DNA, Recovery efficiencies of nucleic acid extraction kits as measured by quantitative LightCycler™ PCR, **86**
hepatitis C virus RNA, Recovery efficiencies of nucleic acid extraction kits as measured by quantitative LightCycler™ PCR, **86**
hepatocarcinogenesis, The IGF axis and hepatocarcinogenesis: *review,* **138**
hepatocellular carcinoma, Chromosomal abnormalities in liver cell dysplasia detected by comparative genomic hybridisation, **270**
The IGF axis and hepatocarcinogenesis: *review,* **138**
HER2, Absence of CCND1 gene amplification in breast tumours of BRCA1 mutation carriers, **259**
heterogeneity, Differentially expressed genes in association with in vitro invasiveness of human epithelioid sarcoma, **324**
hospital trusts, Commissioning laboratory services: *review,* **225**
human ccn1 (cyr61) gene, 5' flanking sequence of the human immediate early responsive gene ccn1 (cyr61) and mapping of polymorphic CA repeat sequence motifs in the human ccn1 (cyr61) locus, **170**
human glioma, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
human herpesvirus 8, Expression profile of human herpesvirus 8 (HHV-8) in pyothorax associated lymphoma and in effusion lymphoma, **80**
human NOV, Differential expression of the ccn3 (nov) proto-oncogene in human prostate cell lines and tissues, **275**
human papillomavirus types 16 and 18, Rapid real time PCR to distinguish between high risk human papillomavirus types 16 and 18, **24**
Huntingtin, Huntington's disease: *review,* **409**
Huntington's disease, Huntington's disease: *review,* **409**

immunocytochemistry, The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
immunohistochemistry, Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
in situ hybridisation, The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
in situ reverse transcription polymerase chain reaction, In situ amplification of oestrogen receptor α mRNA in breast cancer cell lines and tumours, **197**
infiltrating lobular carcinoma, Disparate E-cadherin mutations in LCIS and associated invasive breast carcinomas, **91**
insulin, The three dimensional structure of the type I insulin-like growth factor receptor: *review,* **125**
insulin receptor, The IGF system in thyroid cancer: new concepts: *review,* **121**
insulin receptor substrate 1, IGF-I receptor signalling in transformation and differentiation: *review,* **133**
insulin-like growth factor, Abstracts, **38**
Insulin-like growth factor 1 (IGF-1): a growth hormone, **311**
Insulin-like growth factors I and II induce cell death in Wilms's tumour cells, **30**
The IGF/IGFBP system in CNS malignancy: *review,* **227**
The three dimensional structure of the type I insulin-like growth factor receptor: *review,* **125**
insulin-like growth factor 1, IGF status is altered by tamoxifen in patients with breast cancer, **307**
insulin-like growth factor 1 receptor, IGF-I receptor signalling in transformation and differentiation: *review,* **133**
Insulin-like growth factor 1 and oestradiol promote cell proliferation of MCF-7 breast cancer cells: new insights into their synergistic effects: *review,* **149**
The IGF axis and hepatocarcinogenesis: *review,* **138**
The IGF system in thyroid cancer: new concepts: *review,* **121**
insulin-like growth factor binding protein, Abstracts, **38**
The IGF/IGFBP system in CNS malignancy: *review,* **227**
The Twisted gastrulation family of proteins, together with the IGFBP and CCN families, comprise the TIC superfamily of cysteine rich secreted factors, **317**
insulin-like growth factor binding protein-3, Signalling pathways involved in antiproliferative effects of IGFBP-3: a review: *review,* **145**
insulin-like growth factor binding proteins, IGF status is altered by tamoxifen in patients with breast cancer, **307**
IGFs and IGFBPs: surrogate markers for diagnosis and surveillance of tumour growth?: *review,* **285**
The IGF axis and hepatocarcinogenesis: *review,* **138**
insulin-like growth factor I triple helix, Human glioma cells transformed by IGF-I triplehelix technology show immune and apoptotic characteristics determining cell selection for gene therapy of glioblastoma, **230**
insulin-like growth factor II, Insulin-like growth factors I and II induce cell death in Wilms's tumour cells, **30**
insulin-like growth factor II/mannose 6-phosphate receptor, The IGF axis and hepatocarcinogenesis: *review,* **138**
insulin-like growth factor receptor, Abstracts, **38**
insulin-like growth factor system, The IGF system in thyroid cancer: new concepts: *review,* **121**
insulin-like growth factors, IGFs and IGFBPs: surrogate markers for diagnosis and surveillance of tumour growth?: *review,* **285**
The IGF axis and hepatocarcinogenesis: *review,* **138**
The University of Halle through the centuries: *editorial,* **36**
integrins, Demystified ... Adhesion molecule deficiencies: *review,* **1**

interphase argyrophilic nucleolar organiser regions, Clinical value of interphase argyrophilic nucleolar organiser regions in transitional cell bladder tumours: *letter*, **200**
intravenous immunoglobulin treatment, Guillain Barré syndrome: *review*, **381**
invasion, Differentially expressed genes in association with in vitro invasiveness of human epithelioid sarcoma, **324**

JC virus, Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**

kainate receptors, Huntington's disease: *review*, **409**

Laron syndrome, Insulin-like growth factor 1 (IGF-1): a growth hormone, **311**
leucocyte adhesion defect, Demystified ... Adhesion molecule deficiencies: *review*, **1**
LightCycler™, Recovery efficiencies of nucleic acid extraction kits as measured by quantitative LightCycler™ PCR, **86**
limbic system, The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
liver cell dysplasia, Chromosomal abnormalities in liver cell dysplasia detected by comparative genomic hybridisation, **270**
lobular carcinoma in situ, Disparate E-cadherin mutations in LCIS and associated invasive breast carcinomas, **91**
Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**
locus coeruleus, Substantia nigra neuromelanin: structure, synthesis, and molecular behaviour: *review*, **414**
loss of heterozygosity, A high degree of chromosomal instability at 13q14 in cutaneous squamous cell carcinomas: indication for a role of a tumour suppressor gene other than Rb, **165**
lymphoproliferative disease, Epstein-Barr virus infection in paediatric liver transplant recipients: detection of the virus in post-transplant tonsillectomy specimens, **264**

macroarrays, Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
major histocompatibility complex class I and B7, Human glioma cells transformed by IGF-I triplehelix technology show immune and apoptotic chracteristics determining cell selection for gene therapy of glioblastoma, **230**
medulloblastoma, Expression of a human polyomavirus oncoprotein and tumour suppressor proteins in medulloblastomas, **331**
mesangial cells, Regulation of connective tissue growth factor (ccn2; ctgf) gene expression in human mesangial cells: modulation by HMG CoA reductase inhibitors (statins), **176**
metalloproteinases, Calprotectin inhibits matrix metalloproteinases by sequestration of zinc, **289**
microarrays, Microarrays under the microscope: *review*, **8**
microsatellite instability, Microsatellite instability and mutational analysis of transforming growth factor β receptor type II gene (TGFBR2) in sporadic ovarian cancer, **240**
mitochondrial dysfunction, Themed issue: Neurodegenerative diseases: *editorial*, **361**
molecular biology, Molecular pathology of solid tumours: translating research into clinical practice. Introduction and overview: *editorial*, **201**
molecular markers, Molecular genetics of solid tumours: translating research into clinical practice. What we could do now: breast cancer: *review*, **281**
Molecular pathology of solid tumours: some practical suggestions for translating research into clinical practice: *review*, **203**
Molecular pathology of solid tumours: translating research into clinical practice. Introduction and overview: *editorial*, **201**
molecular pathology, Molecular pathology of solid tumours: some practical suggestions for translating research into clinical practice: *review*, **203**
What we could do now: molecular pathology of bladder cancer: *review*, **215**
morphology of interphase argyrophilic nucleolar organiser region staining, Clinical value of interphase argyrophilic nucleolar organiser regions in transitional cell bladder tumours: *letter*, **200**
motor neurone disease, Mechanisms of neurodegeneration in amyotrophic lateral sclerosis: *review*, **386**
movement disorder, Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review*, **362**
multiple system atrophy, Multiple system atrophy: cellular and molecular pathology: *review*, **419**
mutational analysis, Microsatellite instability and mutational analysis of transforming growth factor β receptor type II gene (TGFBR2) in sporadic ovarian cancer, **240**

National Health Service, Commissioning laboratory services: *review*, **225**
neurodegeneration, Mechanisms of neurodegeneration in amyotrophic lateral sclerosis: *review*, **386**
neurodegenerative disease, Progressive supranuclear palsy: *review*, **427**
neurodegenerative diseases, Themed issue: Neurodegenerative diseases: *editorial*, **361**
neurodegenerative disorder, Huntington's disease: *review*, **409**
neuromelanin, Substantia nigra neuromelanin: structure, synthesis, and molecular behaviour: *review*, **414**
nitric oxide synthase, Nitric oxide synthase immunoreactivity in human bladder carcinoma, **248**
NMDA receptors, Huntington's disease: *review*, **409**
nomenclature, Proposal for a unified CCN nomenclature: *editorial*, **108**
non-Hodgkin's lymphomas, Correlation between apoptosis macroarray gene expression profiling and histopathological lymph node lesions, **17**
nov, The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
NOVH, Inhibition of glioma cell growth and tumorigenic potential by CCN3 (NOV), **293**
nucleotide repeat sequences, PCR amplification introduces errors into mononucleotide and dinucleotide repeat sequences, **351**

oestrogen, Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**
oestrogen receptor, Insulin-like growth factor 1 and oestradiol promote cell proliferation of MCF-7 breast cancer cells: new insights into their synergistic effects: *review*, **149**
oestrogen receptor α, In situ amplification of oestrogen receptor α mRNA in breast cancer cell lines and tumours, **197**
oligodendrocyte, Multiple system atrophy: cellular and molecular pathology: *review*, **419**
ovarian cancer, Microsatellite instability and mutational analysis of transforming growth factor β receptor type II gene (TGFBR2) in sporadic ovarian cancer, **240**
oxidative stress, Progressive supranuclear palsy: *review*, **427**

p53, Expression of a human polyomavirus oncoprotein and tumour suppressor proteins in medulloblastomas, **331**
papillomavirus, Loss of sequences on the short arm of chromosome 17 is a late event in squamous carcinoma of the cervix, **160**
What we could do now: molecular pathology of gynaecological cancer: *review*, **222**
parkin, The aetiology of idiopathic Parkinson's disease: *review*, **369**
parkinsonism, Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review*, **362**
Parkinson's disease, Substantia nigra neuromelanin: structure, synthesis, and molecular behaviour: *review*, **414**
The aetiology of idiopathic Parkinson's disease: *review*, **369**
Themed issue: Neurodegenerative diseases: *editorial*, **361**
peripheral nerve, The role of glycation in the pathogenesis of diabetic polyneuropathy: *review*, **400**
plasma exchange, Guillain Barré syndrome: *review*, **381**
"lubag" Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review*, **362**
polymerase chain reaction, PCR amplification introduces errors into mononucleotide and dinucleotide repeat sequences, **351**
polymorphism, Identification of human ccn2 (connective tissue growth factor) promoter polymorphisms, **192**
primary central nervous system lymphoma, Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**
primary effusion lymphoma, Expression profile of human herpesvirus 8 (HHV-8) in pyothorax associated lymphoma and in effusion lymphoma, **80**
prion disease, The molecular pathology of CJD: old and new variants: *review*, **393**
prion propagation, The molecular pathology of CJD: old and new variants: *review*, **393**
progesterone, Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**
prognosis, What we could do now: molecular pathology of colorectal cancer: *review*, **206**
progressive multifocal leucoencephalopathy, Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**
progressive supranuclear palsy, Progressive supranuclear palsy: *review*, **427**
promoter, 5' flanking sequence of the human immediate early responsive gene ccn1 (cyr61) and mapping of polymorphic CA repeat sequence motifs in the human ccn1 (cyr61) locus, **170**
Identification of human ccn2 (connective tissue growth factor) promoter polymorphisms, **192**
prostate tumour, Differential expression of the ccn3 (nov) protooncogene in human prostate cell lines and tissues, **275**
protease, The molecular basis of allergenicity: comparative analysis of the three dimensional structures of diverse allergens reveals a common structural motif, **155**
protein only model, The molecular pathology of CJD: old and new variants: *review*, **393**
proteomics, Application of laser capture microdissection and proteomics in colon cancer, **253**
pyothorax associated lymphoma, Expression profile of human herpesvirus 8 (HHV-8) in pyothorax associated lymphoma and in effusion lymphoma, **80**

quantitative polymerase chain reaction, Recovery efficiencies of nucleic acid extraction kits as measured by quantitative LightCycler™ PCR, **86**

radiation, Cell cycle dependent DNA break increase in ataxia telangiectasia lymphoblasts after radiation exposure, **347**
rat, The expression of ccn3 (nov) RNA and protein in the rat central nervous system is developmentally regulated, **184**
real time polymerase chain reaction, Rapid real time PCR to distinguish between high risk human papillomavirus types 16 and 18, **24**
receptors, The three dimensional structure of the type I insulin-like growth factor receptor: *review,* **125**
reproductive tract, Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**
retinoblastoma gene, A high degree of chromosomal instability at 13q14 in cutaneous squamous cell carcinomas: indication for a role of a tumour suppressor gene other than Rb, **165**
retinoblastoma protein, Expression of a human polyomavirus oncoprotein and tumour suppressor proteins in medulloblastomas, **331**
Rho proteins, Regulation of connective tissue growth factor (ccn2; ctgf) gene expression in human mesangial cells: modulation by HMG CoA reductase inhibitors (statins), **176**
ribosomal, Identification of slide coagulase positive, tube coagulase negative *Staphylococcus aureus* by 16S ribosomal RNA gene sequencing, **244**
RNA, Identification of slide coagulase positive, tube coagulase negative *Staphylococcus aureus* by 16S ribosomal RNA gene sequencing, **244**
routine clinical practice, Molecular pathology of solid tumours: some practical suggestions for translating research into clinical practice: *review,* **203**

schistosoma, Nitric oxide synthase immunoreactivity in human bladder carcinoma, **248**
scleroderma, The control of ccn2 (ctgf) gene expression in normal and scleroderma fibroblasts, **180**
sequencing, Identification of slide coagulase positive, tube coagulase negative *Staphylococcus aureus* by 16S ribosomal RNA gene sequencing, **244**
sex linked recessive dystonia parkinsonism, Sex linked recessive dystonia parkinsonism of Panay, Philippines (XDP): *review,* **362**
shadow bands, PCR amplification introduces errors into mononucleotide and dinucleotide repeat sequences, **351**
signalling, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review,* **57**
signalling pathway, Signalling pathways involved in antiproliferative effects of IGFBP-3: a review: *review,* **145**
skin cancer, A high degree of chromosomal instability at 13q14 in cutaneous squamous cell carcinomas: indication for a role of a tumour suppressor gene other than Rb, **165**
statins, Regulation of connective tissue growth factor (ccn2; ctgf) gene expression in human mesangial cells: modulation by HMG CoA reductase inhibitors (statins), **176**
substantia nigra, Substantia nigra neuromelanin: structure, synthesis, and molecular behaviour: *review,* **414**
symposium, Molecular pathology of solid tumours: translating research into clinical practice. Introduction and overview: *editorial,* **201**
The University of Halle through the centuries: *editorial,* **36**
α synuclein, The aetiology of idiopathic Parkinson's disease: *review,* **369**
α-synuclein Multiple system atrophy: cellular and molecular pathology: *review,* **419**

T antigen, Concomitant progressive multifocal leucoencephalopathy and primary central nervous system lymphoma expressing JC virus oncogenic protein, large T antigen, **354**
Expression of a human polyomavirus oncoprotein and tumour suppressor proteins in medulloblastomas, **331**
tamoxifen, IGF status is altered by tamoxifen in patients with breast cancer, **307**
tau protein filaments, Progressive supranuclear palsy: *review,* **427**
three dimensional protein structure, The molecular basis of allergenicity: comparative analysis of the three dimensional structures of diverse allergens reveals a common structural motif, **155**
three dimensional structure, The three dimensional structure of the type I insulin-like growth factor receptor: *review,* **125**
tonsil, Epstein-Barr virus infection in paediatric liver transplant recipients: detection of the virus in post-transplant tonsillectomy specimens, **264**
transcription factors, The aetiology of idiopathic Parkinson's disease: *review,* **369**
transformation, IGF-I receptor signalling in transformation and differentiation: *review,* **133**
transforming growth factor β, Signalling pathways involved in antiproliferative effects of IGFBP-3: a review: *review,* **145**
The control of ccn2 (ctgf) gene expression in normal and scleroderma fibroblasts, **180**
transforming growth factor β receptor type II, Microsatellite instability and mutational analysis of transforming growth factor β receptor type II gene (TGFBR2) in sporadic ovarian cancer, **240**
transitional cell bladder tumours, Clinical value of interphase argyrophilic nucleolar organiser regions in transitional cell bladder tumours: *letter,* **200**
transplantation, Epstein-Barr virus infection in paediatric liver transplant recipients: detection of the virus in post-transplant tonsillectomy specimens, **264**
tsg, The Twisted gastrulation family of proteins, together with the IGFBP and CCN families, comprise the TIC superfamily of cysteine rich secreted factors, **317**
tumour marker, IGFs and IGFBPs: surrogate markers for diagnosis and surveillance of tumour growth?: *review,* **285**
tumour suppressor genes, Chromosome 3p allele loss in early invasive breast cancer: detailed mapping and association with clinicopathological features, **300**
twisted gastrulation, The Twisted gastrulation family of proteins, together with the IGFBP and CCN families, comprise the TIC superfamily of cysteine rich secreted factors, **317**

ubiquitin carboxy terminal hydroxylase L1, The aetiology of idiopathic Parkinson's disease: *review,* **369**
University of Halle, The University of Halle through the centuries: *editorial,* **36**
uterus, Steroidal regulation of connective tissue growth factor (CCN2; CTGF) synthesis in the mouse uterus, **338**

Wilms's tumour, Insulin-like growth factors I and II induce cell death in Wilms's tumour cells, **30**
wisp, NOV (nephroblastoma overexpressed) and the CCN family of genes: structural and functional issues: *review,* **57**

zinc, Calprotectin inhibits matrix metalloproteinases by sequestration of zinc, **289**